



**C9N**



# Specifications



C9N

<b>Basic parameters</b>	
Length (mm)	9450
Width (mm)	2550
Height (mm)	3480
Inner height (mm)	1930
Wheelbase (mm)	4650
Front/rear overhang (mm)	1915/2885
Tire	10R22.5
Min turning diameter (m)	18.5
Standard number of seats	31+1
Max number of seats	31
Cylinder	720L (CNG cylinder): 6*120L composite cylinder
Max luggage compartment capacity (m³)	3.4
Max manufacturer's total mass (kg)	13100
<b>Powertrain</b>	
Engine model	YC6G260N-50
Rated power (kW/rpm)	191/2300
Rated torque (N·m/rpm)	980/1300-1700
Displacement (L)	7.8
Emission	Euro V
<b>Seat</b>	
Driver seat	3-point full air-suspended driver seat
Passenger seat belt	2-point seat belt + 3-point seat belt

<b>Interior</b>	
Curtain	●
Luggage rack	Integral inner luggage rack
Roof hatch	● One with ventilator
<b>Exterior</b>	
Passenger door	Tempered glass out-swing door
Side window glass	Fully-enclosed insulating glass
Driver window	Insulating rear movable built-in window
Front windshield	Ordinary laminated bonded glass
Rear windshield	Tempered bonded glass
<b>A/C</b>	
Cooling-only	●
Heating device	Non-independent + four wall-mounted forced radiators
Defroster	Low-power water heating defroster
<b>Chassis system</b>	
Axle	Front disc & rear disc
Suspension	Air suspension
Steering wheel	LHD
EPB	●
<b>Safety and driving assistance system</b>	
Electronic Stability Control (ESC) system	●
Tire Pressure Monitoring System (TPMS)	●
Reversing radar	●
Wiper and headlamp	Manual control
Fire extinguisher device	2 x 4 kg dry powder extinguisher
<b>Audio-video entertainment and lighting</b>	
Play system	HD player (wired)
Microphone	1 wired microphone
LED headlamp	●

● Standard ○ Optional – N/A



## Yutong Bus Co. Ltd.

Yutong Marketing Center, Economic and Technological Development Zone, Zhengzhou, China

Tel: +86 371 6671 8999 Website: [www.yutong.com](http://www.yutong.com) E-mail: [sales@yutong.com](mailto:sales@yutong.com) Follow us on Facebook & Twitter & YouTube at Yutong Bus & Coach

The images may include items of optional equipment and accessories that are not installed as standard. The product is subject to technical improvement.

Yutong reserves the right to change product specifications without prior notice.

All rights reserved. November 2025 Edition.